

**On This Page:**


The 804 Cornice and various Balmer plaster columns, pilasters and custom arches. Note the concave radial casting of the 804 in the room corner.

Photo courtesy of Allan Greenberg, Architect.

# Plaster Cornices & Friezes





# Gypsum Plaster Cornice Mouldings




# Contemporary Profile Plaster Cornice Mouldings


8905




8904



887




8901



8902



8907




In addition to the profiles shown here, Balmer can supply any plain run profile you require.


Cornices marked with the symbol **L.T.** ✓ can be ordered specially manufactured for use as a light trough (using miniature lighting systems) at extra cost. Add the letters **LT** to the product number when ordering.

# Contemporary Profile Plaster Cornice Mouldings


8906



845




845A



847

L.T. ✓



847A

L.T. ✓



843




# Contemporary Profile Plaster Cornice Mouldings

833




815





8903


L.T. ✓




8908



8909



8910



In addition to the profiles shown here, Balmer can supply any plain run profile you require.

Cornices marked with the symbol **L.T. ✓** can be ordered specially manufactured for use as a light trough (using miniature lighting systems) at extra cost. Add the letters **LT** to the product number when ordering.

# Classical, Enriched Plaster Cornice Mouldings



809



Repeat:  $2\frac{3}{4}$ " 70 mm




812

L.T. ✓



Repeat:  $2\frac{5}{16}$ " 59 mm




823

L.T. ✓



Repeat:  $18\frac{7}{16}$ " 479 mm




# Classical, Enriched Plaster Cornice Mouldings

860

L.T. ✓



Repeat: 4<sup>5</sup>/<sub>8</sub>" 117 mm




818

L.T. ✓




Repeat: 1<sup>3</sup>/<sub>8</sub>" 35 mm



871




Repeat: 1<sup>7</sup>/<sub>16</sub>" 37 mm



911




Repeat: 2" 51 mm



8804



Repeat: 12" 305 mm



Cornices marked with the symbol **L.T. ✓** can be ordered specially manufactured for use as a light trough (using miniature lighting systems) at extra cost. Add the letters **LT** to the product number when ordering.


# Classical, Enriched Plaster Cornice Mouldings

813

L.T. ✓




Repeat: 1/2" 13 mm



798



Repeat: 1" 25 mm




805

L.T. ✓



Repeat: 7 5/8" 194 mm




895

L.T. ✓



Repeat: 36" 914 mm




806

L.T. ✓



Repeat: 5 3/8" 137 mm






# Classical, Enriched Plaster Cornice Mouldings

821

L.T. ✓



Repeat: 14 1/2" 368 mm




800

L.T. ✓



Repeat: 6 13/16" 173 mm




816

L.T. ✓



Repeat: 6 1/8" 156 mm




899

L.T. ✓




Repeat: 3" 76 mm



898



Repeat: 15" 381 mm



Cornices marked with the symbol L.T. ✓ can be ordered specially manufactured for use as a light trough (using miniature lighting systems) at extra cost. Add the letters LT to the product number when ordering.


# Classical, Enriched Plaster Cornice Mouldings

804

L.T. ✓



Repeat: 10<sup>1</sup>/<sub>8</sub>" 257 mm




784

L.T. ✓




Repeat: 3<sup>5</sup>/<sub>16</sub>" 84 mm



896




Repeat: 11<sup>1</sup>/<sub>2</sub>" 292 mm



897



Repeat: 5<sup>1</sup>/<sub>16</sub>" 144 mm




# Classical, Enriched Plaster Cornice Mouldings

857

L.T. ✓




Repeat:  $8\frac{3}{8}$ " 213 mm



858




Repeat: 3" 76 mm



801




Repeat:  $12\frac{1}{8}$ " 327 mm



822



Repeat: 4" 102 mm



Cornices marked with the symbol **L.T. ✓** can be ordered specially manufactured for use as a light trough (using miniature lighting systems) at extra cost. Add the letters **LT** to the product number when ordering.


# Classical, Enriched Plaster Cornice Mouldings

832

L.T. ✓




Repeat:  $1\frac{5}{16}$ " 24 mm



874




Repeat:  $1\frac{5}{16}$ " 33 mm



888




Repeat:  $2\frac{1}{8}$ " 54 mm



885




Repeat:  $\frac{7}{16}$ " 22 mm



849




Repeat:  $1\frac{5}{16}$ " 24 mm




# Classical, Enriched Plaster Cornice Mouldings

8803




Repeat: 1 1/4" 32 mm




8802

L.T. ✓



Repeat: 1 1/2" 38 mm




8801

L.T. ✓




Repeat: 1 1/2" 38 mm



8806




Repeat: 13 1/8" 333 mm



8807




Repeat: 1" 25 mm




Cornices marked with the symbol **L.T. ✓** can be ordered specially manufactured for use as a light trough (using miniature lighting systems) at extra cost. Add the letters **LT** to the product number when ordering.

# Classical, Enriched Plaster Cornice Mouldings

8809




Repeat:  $2\frac{3}{8}$ " 60 mm



905




Repeat: 12" 305 mm



811




Repeat: 18" 457 mm



802



Repeat:  $10\frac{1}{8}$ " 257 mm




810

L.T. ✓




Repeat:  $1\frac{1}{16}$ " 43 mm



# Classical, Enriched Plaster Cornice Mouldings

848



Repeat: 16" 406 mm



852



Repeat: 1 3/8" 41 mm



886



Repeat: 3 1/2" 89 mm



853




Repeat: 2 1/2" 64 mm



8810




Repeat: 1 3/16" 30 mm



8811



Repeat: 3" 76 mm




# Builder's Line Plaster Cornice Mouldings

**BL100**




Repeat: 1 1/4" 32 mm



91" 2.31 m lengths

**BL200**




92" 2.34 m lengths

**BL300**



Repeat: 1 5/8" 41 mm




91" 2.31 m lengths

**BL400**



Repeat: 1 1/4" 32 mm




90" 2.29 m lengths

**BL500**




Repeat: 2 1/8" 56 mm



90" 2.29 m lengths

**BL700**



94" 2.4 m lengths




# Frieze Style Plaster Cornice Mouldings

901



Repeat: 10<sup>1</sup>/<sub>8</sub>" 257 mm




81" 2.06 m lengths

838



Repeat: 28<sup>7</sup>/<sub>8</sub>" 733 mm




86" 2.18 m lengths

882



Repeat: 18<sup>1</sup>/<sub>2</sub>" 470 mm




92" 2.34 m lengths

875



Repeat: 2<sup>3</sup>/<sub>8</sub>" 60 mm



74" 1.88 m lengths

8805



Repeat: 8" 203 mm



80" 2.03 m lengths

2151



Repeat: 3<sup>1</sup>/<sub>8</sub>" 79 mm



72" 1.83 m lengths

884



Repeat: 19" 483 mm




57" 1.45 m lengths

869




Repeat: 3/4" 19 mm




54" 1.37 m lengths

# Gypsum Plaster Covets & Light Troughs

## Radial 90 Degree Covets



Coves are supplied in 92" (2.34 m) lengths



Number	R	
	inch	mm
3901a	4	102
3901b	6	152
3901c	8	203
3901d	10	254
3901e	12	305



Light Trough

Cornices marked with the symbol **L.T.** ✓ on the preceding pages can be ordered specially manufactured for use as a light trough (using miniature lighting systems) at extra cost. The letters **LT** must be added to the product number when ordering.

A diagram of a light trough is shown at the left. The addition of a cove above the light trough, as shown at the right, enhances an indirect lighting design. The cove can be mounted so that its inner surface is flush with the ceiling as shown or it may be mounted beneath the ceiling. Lighting systems can be mounted either on the wall or on the light trough.


In addition to the **LT** versions of standard cornices, we offer the two designs shown below which are suited for use as light troughs using standard fluorescent tube lighting systems.





Light Trough & Cove

## Light Troughs for use with Standard Fluorescent Lighting Systems

3902



3903



# Gypsum Plaster Friezes


8918



8921



8922



1456



8917



640



1524



1520



1431



8916

# Gypsum Plaster Friezes



1439



1372



1434




1552



1455



8920



1436



8919



1550



1378



588



1202



1433

Number	Height		Length		Projection		Number	Height		Length		Projection	
	inch	mm	inch	mm	inch	mm		inch	mm	inch	mm	inch	mm
588	8 1/2	216	42	1067	7/8	22	1456	10 3/4	273	31	787	3/8	10
640	6 5/8	168	80	2032	1/8	3	1520	15 1/2	394	60	1524	1/4	6
1202	4 5/8	118	58	1473	1/2	13	1524	18 3/8	467	78 1/2	2013	5/8	16
1372	14 5/8	371	63	1600	1/4	6	1550	5 1/2	140	48	1219	3	76
1378	7 5/8	194	36	914	1/2	13	1552	9 5/8	245	71	1803	1/4	6
1431	21 1/8	537	51 1/4	1302	3/8	10	8916	10 1/2	267	90 1/4	2292	3/4	19
1433	6 3/8	162	44	1118	1/8	3	8917	12	305	92 1/2	2350	1 1/2	38
1434	14	356	72 3/4	1848	2	51	8918	16 1/4	413	71 1/4	1810	2	51
1436	9 1/4	235	45	1143	1/8	3	8919	7 1/4	184	72	1829	3/4	19
1439	16	406	48	1219	3/8	10	8920	8	203	70 1/2	1791	1/2	13
1455	11 1/4	286	65 1/2	1664	1/4	6	8921	10 1/2	267	69 1/2	1765	1 1/4	32
							8922	10 1/2	267	70	1778	1 1/4	32

# Gypsum Plaster Friezes



1548



1373



1388



1531



1389



1549



347



375



1379



1488



1545



620



1390



1529



1588



1435



1496



2769A



1530



1343



1149

# Gypsum Plaster Friezes



1551



1513



1512



1471



402



1352



1365



1407



1794

Number	Height		Length		Projection		Number	Height		Length		Projection	
	inch	mm	inch	mm	inch	mm		inch	mm	inch	mm	inch	mm
347	11 1/2	292	34	864	3/8	10	1471	8 7/8	225	38	965	1/2	13
375	11	279	36 1/4	921	3/8	10	1488	4 3/4	146	24 1/2	622	1	25
402	11	279	46	1168	1 1/4	32	1496	8	203	49	1245	1/4	6
620	6 3/4	171	72	1829	3/4	19	1512	11 7/8	302	64	1626	3/8	10
1149	3 3/4	70	26	660	1	25	1513	16	406	58 1/2	1486	3/4	19
1343	4	102	41	1041	7/8	22	1529	9 1/4	235	53	1346	1	25
1352	11 7/8	302	51	1295	3/8	10	1530	5 1/4	133	63	1600	1 1/4	32
1365	11 1/4	286	56	1422	1	25	1531	12	305	60	1524	1 1/8	29
1373	6	152	24	610	1/2	13	1545	6 3/4	171	35 1/2	902	1/4	6
1379	7 7/8	175	35	889	3/8	10	1548	10 1/4	260	27 1/2	686	1/2	13
1388	6 3/4	171	48	1219	1/2	13	1549	12 5/8	321	66	1676	3/4	19
1389	7 7/8	200	73	1854	7/8	22	1551	9	229	24	610	1/2	13
1390	8	203	55	1397	1 5/8	41	1588	7	178	63	1600	1 1/8	29
1407	14 1/2	368	26	660	1 1/2	38	1794	12	305	45	1143	7/8	22
1435	7 7/8	200	43 1/4	1099	1/8	3	2769A	7 1/4	184	57	1448	5/8	16

# Gypsum Plaster Friezes



1302



1304



1406



389



683



1356



1800



1526

Number	Height		Length		Projection		Number	Height		Length		Projection	
	inch	mm	inch	mm	inch	mm		inch	mm	inch	mm	inch	mm
389	10 <sup>1</sup> / <sub>4</sub>	260	34 <sup>1</sup> / <sub>2</sub>	876	<sup>3</sup> / <sub>8</sub>	10	1356	12 <sup>5</sup> / <sub>8</sub>	321	54	1372	<sup>1</sup> / <sub>2</sub>	13
683	9	229	38 <sup>1</sup> / <sub>2</sub>	978	1	25	1406	10 <sup>3</sup> / <sub>8</sub>	264	43	1143	<sup>7</sup> / <sub>8</sub>	22
1302	13 <sup>1</sup> / <sub>4</sub>	337	71 <sup>1</sup> / <sub>2</sub>	1816	<sup>1</sup> / <sub>2</sub>	13	1526	13 <sup>7</sup> / <sub>8</sub>	352	70	1778	<sup>3</sup> / <sub>8</sub>	10
1304	9 <sup>1</sup> / <sub>8</sub>	232	51	1295	1	25	1800	13 <sup>1</sup> / <sub>4</sub>	337	71 <sup>1</sup> / <sub>2</sub>	1816	1 <sup>1</sup> / <sub>2</sub>	38

# Gypsum Plaster Friezes



1314



1321



1315



1322



1316



1323



1318



1325



1324




604



621



638



1398



1527



929



1400



1341



1517



1430



1528



1586



952



672



313



1446



1364

Number	Height		Length		Projection		Number	Height		Length		Projection	
	inch	mm	inch	mm	inch	mm		inch	mm	inch	mm	inch	mm
313	4 1/2	114	32	813	5/8	16	1323	5 1/8	130	34	864	3/8	10
604	5	127	53	1346	3/8	10	1324	5 3/8	137	60	1524	1/2	13
621	3	76	39	991	1/2	13	1325	3	76	42	1067	1/4	6
638	6 5/8	168	40	1016	3/8	10	1341	3 3/4	70	48	1219	1/2	13
672	3 1/2	89	39	991	3/4	19	1364	2 5/8	67	46	1168	5/8	16
929	3 7/8	73	22	559	1/2	13	1398	5	127	32	813	5/8	16
952	4	102	36	914	1/2	13	1400	3 7/8	73	28	711	3/4	19
1314	7	178	45	1143	1/4	6	1430	5 5/8	143	69	1753	3/4	19
1315	5 1/2	140	30	762	1/2	13	1446	5	127	48	1219	1/4	6
1316	6 3/8	162	53	1346	1/4	6	1517	6 1/2	165	71	1803	3/8	10
1318	5	127	25	635	1/2	13	1527	2 1/2	64	41	1041	5/8	16
1321	5	127	32	813	1/4	6	1528	3 1/2	89	28	711	1 1/8	29
1322	5 1/2	140	55	1397	3/8	10	1586	5	127	49	1245	3/8	10



# Gypsum Plaster Friezes

1303



1312



1319

1438



1313



1320

1305



1309



1306



1310



1311



1344



1345



1340



1470

Number	Height		Length		Projection		Number	Height		Length		Projection	
	inch	mm	inch	mm	inch	mm		inch	mm	inch	mm	inch	mm
1303	12	305	60 1/2	1537	1/2	13	1319	10 1/4	260	70	1778	3/8	10
1305	7	177	51	1295	5/8	16	1320	8 7/8	225	50	1270	1/4	6
1306	6 1/2	165	36	914	1/2	13	1340	4	102	32	813	1/4	6
1309	8 1/8	206	30	762	5/8	16	1344	4 5/8	118	43	1092	3/8	10
1310	6 1/8	156	33	838	1/2	13	1345	9 1/2	241	40	1016	3/8	10
1311	7	178	76	1930	3/4	19	1438	9	229	60	1524	1/2	13
1312	12 1/2	318	80	2032	1	25	1470	3 3/4	95	46	1168	3/8	10
1313	7 1/4	184	38	965	5/8	16							

# Gypsum Plaster Friezes & Panels



1546



1521



1543



1792



1536



8923



444



1544

Number	Height		Length		Projection		Number	Height		Length		Projection	
	inch	mm	inch	mm	inch	mm		inch	mm	inch	mm	inch	mm
444	17 <sup>7</sup> / <sub>8</sub>	454	34 <sup>7</sup> / <sub>8</sub>	886	3 <sup>3</sup> / <sub>4</sub>	19	1544	15 <sup>3</sup> / <sub>4</sub>	400	33 <sup>5</sup> / <sub>8</sub>	854	3 <sup>3</sup> / <sub>4</sub>	19
1521	14 <sup>1</sup> / <sub>8</sub>	359	38	965	5 <sup>5</sup> / <sub>8</sub>	16	1546	13 <sup>7</sup> / <sub>8</sub>	352	71 <sup>1</sup> / <sub>2</sub>	1816	3 <sup>3</sup> / <sub>8</sub>	19
1536	16 <sup>7</sup> / <sub>8</sub>	429	16 <sup>7</sup> / <sub>8</sub>	429	1	25	1792	16 <sup>1</sup> / <sub>4</sub>	413	46	1168	3 <sup>3</sup> / <sub>4</sub>	19
1543	13	330	43 <sup>3</sup> / <sub>4</sub>	1111	3 <sup>3</sup> / <sub>4</sub>	19	8923	20	508	42 <sup>1</sup> / <sub>4</sub>	1073	1	25

# Gypsum Plaster Panels



2897

Number	Width		Height		Projection	
	inch	mm	inch	mm	inch	mm
2383	47	1194	22	559	3 1/8	79
2858	53 1/4	1353	40 1/4	1022	1	25
2896	18	457	36	914	1 1/4	32
2897	18	457	36	914	1 1/4	32



2896

2858



**2383** **DaVinci's Last Supper** - This panel is designed to be recessed into the wall 3 1/8" (79 mm) with the frame moulding flush with the wall face. The required recess opening is 19 3/4" X 44 5/8" (502 X 1133 mm).